

@lgood



Design and build



EMS 552362



FS 14846



Alite

Different projects have varying performance requirements and budget constraints. By taking an intelligent approach to the manufacture of the Alite range, Allgood provides products that are fit for purpose at a competitive price for your design and build projects.



1. door furniture



2. accessories



3. washroom

Contents



4. @lite hardware



5. finishes



1. door furniture

97 series - levers and accessories	6-7
98 series - levers and accessories	8-9
Pull handles and push plates	10-11


door furniture



97422

Alite safety lever handles on concealed Quadaxial fixing roses.


Finishes: SS (XX97422SS)
SA (XX97422SA)



97423

Alite lever handles on concealed Quadaxial fixing roses.

Finishes: SS (XX97423SS)
SA (XX97423SA)




97 series - levers and accessories



97873

Alite bathroom turn on concealed fixing rose with emergency release indicator.


Finishes: SS (XX97873SS)
SA (XX97873SA)



97874

Alite disabled bathroom turn on concealed fixing rose with emergency release indicator.


Finishes: SS (XX97874SS)
SA (XX97874SA)



97876

Alite euro profile cylinder escutcheon with concealed fixings.

Finishes: SS (XX97876SS)
SA (XX97876SA)




door furniture



98402

Alite safety lever handles on concealed circlip fixing roses.


Finishes: SS (XX98402SS)
SA (XX98402SA)



98773

Alite bathroom turn on concealed fixing rose with emergency release indicator.

Finishes: SS (XX98773SS)
SA (XX98773SA)




98 series - levers and accessories



98774

Alite disabled bathroom turn on concealed fixing rose with emergency release indicator.


Finishes: SS (XX98774SS)
SA (XX98774SA)



98776

Alite euro profile cylinder escutcheon.


Finishes: SS (XX98776SS)
SA (XX98776SA)



98008

Alite euro profile cylinder pull.


Finish: SS (XX98008SS)



98580

Alite budget lock escutcheon.

Finish: SS (XX98580SS)




door furniture



98793

Alite pull handle with bolt through fixing.
300mm centres.

Finishes: SS (XX98793SS)
SA (XX98793SA)



98793B

Pair, as above, with back-to-back fixings.


Finishes: SS (XX98793SSB)
SA (XX98793SAB)



98794

Alite pull handle with bolt through fixing.
400mm centres.

Finishes: SS (XX98794SS)
SA (XX98794SA)



98794B

Pair, as above, with back-to-back fixings.

Finishes: SS (XX98794SSB)
SA (XX98794SAB)

Pull handles and push plates



98796

Alite pull handle with bolt through fixing.
600mm centres.

Finishes: SS (XX98796SS)
SA (XX98796SA)



98796B

Pair, as above, with back-to-back fixings.


Finishes: SS (XX98796SSB)
SA (XX98796SAB)



97664

Alite push plate.

Finishes: SS (XX97664SS)
SA (XX97664SA)



97663

As above with 330x76x1.6mm dimensions.


Finishes: SS (XX97663SS)
SA (XX97663SA)



97666

Alite push plate.

Finishes: SS (XX97666SS)
SA (XX97666SA)



97665

Alite kick plate.

Note: Please specify dimensions. For details please contact your local Allgood office.



2. accessories

Door stops and coat hooks	14-15
Signage	16-17
Self adhesive signage	18-19


accessories



21705
Alite door stop.
Finish: SS



98332
Alite skirting buffer.
Finish: SS (XX98332SS)




Door stops and coat hooks




98550

Alite hat and coat hook.
Finish: SS (XX98550SS)




98230

Alite hat and coat hook.
Finish: SS (XX98230SS)




98232

Alite buffered hat and coat hook.
Finish: SS (XX98232SS)



98551

Alite single coat hook.
Finish: SS (XX98551SS)




accessories



97902
Alite 'Male' sign.
Finishes: SS (XX97902SS)
SA (XX97902SA)




97903
Alite 'Female' sign.
Finishes: SS (XX97903SS)
SA (XX97903SA)



97904
Alite 'Staff' sign.
Finishes: SS (XX97904SS)
SA (XX97904SA)



97905
Alite 'Cleaners' sign.
Finishes: SS (XX97905SS)
SA (XX97905SA)






97906

Alite 'Shower' sign.


Finishes: SS (XX97906SS)
SA (XX97906SA)



97907

Alite 'Baby change' sign.

Finishes: SS (XX97907SS)
SA (XX97907SA)



97914

Alite 'Unisex' sign.

Finishes: SS (XX97914SS)
SA (XX97914SA)



97915

Alite 'Disabled' sign.

Finishes: SS (XX97915SS)
SA (XX97915SA)



97917

Alite 'Automatic fire door keep clear' sign to BS5499.

Finishes: SS (XX97917SS)
SA (XX97917SA)



97918

Alite 'Fire door keep locked shut' sign to BS5499.

Finishes: SS (XX97918SS)
SA (XX97918SA)



97919

Alite 'Fire door keep shut' sign to BS5499.

Finishes: SS (XX97919SS)
SA (XX97919SA)




accessories



98902
Alite 'Male' self adhesive sign.
Finishes: SS (XX98902SS)
SA (XX98902SA)




98903
Alite 'Female' self adhesive sign.
Finishes: SS (XX98903SS)
SA (XX98903SA)



98904
Alite 'Staff' self adhesive sign.
Finishes: SS (XX98904SS)
SA (XX98904SA)



98905
Alite 'Cleaners' self adhesive sign.
Finishes: SS (XX98905SS)
SA (XX98905SA)




Self adhesive signage



98906

Alite 'Shower' self adhesive sign.

Finishes: SS (XX98906SS)
SA (XX98906SA)



98907

Alite 'Baby change' self adhesive sign.

Finishes: SS (XX98907SS)
SA (XX98907SA)



98914

Alite 'Unisex' self adhesive sign.

Finishes: SS (XX98914SS)
SA (XX98914SA)



98915

Alite 'Disabled' self adhesive sign.

Finishes: SS (XX98915SS)
SA (XX98915SA)



98917

Alite 'Automatic fire door keep clear' self adhesive sign to BS5499.

Finishes: SS (XX98917SS)
SA (XX98917SA)



98918

Alite 'Fire door keep locked shut' self adhesive sign to BS5499.

Finishes: SS (XX98918SS)
SA (XX98918SA)



98919

Alite 'Fire door keep shut' self adhesive sign to BS5499.

Finishes: SS (XX98919SS)
SA (XX98919SA)





3. washroom

Toilet accessories	22-23
Dispensers and bins	24-25


washroom



98221

Alite toilet roll holder.


Finish: SS (XX98221SS)



98222

Alite double toilet roll holder.

Finish: SS (XX98222SS)




Toilet accessories



98540

Alite maxi roll holder.


Finish: SS (XX98540SS)



98223

Alite spare toilet roll holder.


Finish: SS (XX98223SS)



98500

Alite toilet brush holder with brush.


Finish: SS (XX98500SS)



washroom



98520
Alite wall mounted waste bin.
Finish: SS (XX98520SS)




Dispensers and bins



98515

Alite soap dispenser.


Finish: SS (XX98515SS)



98510

Alite soap dispenser.


Finish: SS (XX98510SS)



98530

Alite paper towel dispenser.

Finish: SS (XX98530SS)





4. @ite hardware

Door closers	28-29
Locks and latches	30-31
Cylinders and hinges	32-33
Flushbolts	34-35
Panic hardware	36-37
Access control and automation	38-39



@lite hardware




98141

Overhead door closer.

- Fixed to the opening face of the door (Fig 1).
For fixing to closing face of the door (Fig 6), please specify 98141/66 bracket.
- Adjustable power (2-5)
- Adjustable closing speed with independent latch action
- Adjustable backcheck between angle of operation, 65°–180°
- Maximum door weight: 100kg
- Maximum door width: 1250mm
- Independently tested to BS EN 1154
4852113
- CE marked 1121-CPD-AD0194
- Certifire approved CF641
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 120 minutes on timber doors and 240 minutes on metal doors

Finishes: SS (XX98141S6)
SA (XX98141/6)



98171

As above but with delayed action function.

Finishes: SS (XX98171S6)
SA (XX98171/6)

Door closers

**98181**

Electro-hydraulic hold-open overhead door closer.

- Universal fixing (Fig 1 & Fig 6)
- Electro-hydraulic hold-open facility from 75°-175°
- 24V DC/ 85ma
- Fixed power 4 (Fig 1) and 3 (Fig 6)
- Adjustable closing speed with independent latch action
- Maximum door weight: 80kg (Fig 1) / 60kg (Fig 6)
- Maximum door width: 1100mm (Fig 1) / 950mm (Fig 6)
- Independently tested to BS EN 1154 **384113** in Fig 1 application
- Independently tested to BS EN 1154 **383113** in Fig 6 application
- CE marked 1121-CPD-AE0006
- Certifire approved CF498
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 120 minutes on timber doors

Finishes: SS (XX98181S6)
SA (XX98181/6)



**98141/66**

Fig 6 soffit bracket for use with 98141 and 98171 door closers.

Finishes: SS (XX98141S66)
SA (XX98141/66)



@lite hardware




7604F60

Vertical mortice latch.

- Radiused forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
2H810F-B020
- CE marked 1121-CPD-AG0066
- Certifire approved CF537
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 240 minutes on metal doors

Finish: SS




7608F60

Vertical mortice bathroom lock.

- Radiused forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
2H810F-B020
- CE marked 1121-CPD-AG0065
- Certifire approved CF537
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 240 minutes on metal doors

Finish: SS




**7679F60**

Vertical euro profile cylinder mortice lock.

- Radiused forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
2H810F3BC20
- CE marked 1121-CPD-AG0064
- Certifire approved CF537
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 240 minutes on metal doors


Finish: SS

**7686F60**

Vertical euro profile cylinder mortice deadlock.

- Radiused forend
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
2H810F3BC00
- CE marked 1121-CPD-AG0063
- Certifire approved CF537
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 240 minutes on metal doors

Finish: SS

**7176FP60**

Intumescent pack for up to 60 minute fire doors for 7604F60, 7608F60, 7679F60 and 7686F60 lock cases.

Finish: XX

@lite hardware



7618A


Euro profile double cylinder with key operation on both sides.

- Unrestricted 6 pin cylinder
- Available individually keyed or as part of a master key suite to customer requirements

Variations (mm)

	V	W
a	70	35 (standard)
b	80	40

Finish: SN



7619A


Euro profile double cylinder with key operation on one side and unique Allgood turn on the other.

- Unrestricted 6 pin cylinder
- Available individually keyed or as part of a master key suite to customer requirements

Variations (mm)

	V	W
a	70	35 (standard)
b	80	40

Finish: SN



Our standard cylinders are highlighted on the following pages. Special function cylinders such as classroom cylinders and clutch cylinders are also available. Contact your nearest Allgood office for details.

Cylinders and hinges



7620A


Euro profile single cylinder with key operation on one side only.

- Unrestricted 6 pin cylinder
- Available individually keyed or as part of a master key suite to customer requirements

Variations (mm)

	V	W
a	45	35 (standard)
b	50	40

Finish: SN




97501

Butt hinge.

- Load bearing capacity to 120kg
- Requires regular lubrication
- Independently tested to BS EN 1935 476114013
- CE marked 1121-CPD-AC0143

Finish: SS



8066FP

Intumescent pack for up to 60 minute fire doors for 97501 and 97501R hinges.

Finish: XX




97501R

Butt hinge.

- Load bearing capacity to 120kg
- Requires regular lubrication
- Independently tested to BS EN 1935 476114013
- CE marked 1121-CPD-AC0143


Finish: SS



@lite hardware



48800
Lever action flushbolt.
Finish: SS




48800R
As above with radius ends.
Finish: SS

48800FP
Intumescent pack for up to 60 minute fire doors for 48800 and 48800R flushbolts..
Finish: XX



48801
Lever action flushbolt.
Finish: SS



48801R
As above with radius ends.
Finish: SS

48801FP
Intumescent pack for up to 60 minute fire doors for 48801 and 48801R flushbolts..
Finish: XX


Flushbolts



48802

Lever action flushbolt.

Finish: SS



48802R

As above with radius ends.

Finish: SS

48802FP

Intumescent pack for up to 60 minute fire doors for 48802 and 48802R flushbolts.


Finish: XX



7051

Easy clean flushbolt socket.


Finish: SC



7053

Dirt excluding flushbolt socket.

Finish: SC



@lgood hardware




10280

Surface mounted 3 point pushbar bolt.

- Applicable for single doors and pairs of rebated doors when used in conjunction with 10282 pushbar latch (page 37)
- To suit doors 2600mm high and 1060mm wide
- Suitable for timber, aluminium and steel doors
- Reversible mechanism
- Push bar and top vertical rod can be easily cut to length to suit various door heights and widths
- Can be operated from outside by optional 10288A external access device (page 37)
- Independently tested to BS EN 1125
37511322A
- CE marked 0425-CPD-1825
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors

Finishes: SS (XX10280SS)

Silver (XX10280)



Panic hardware



10282

Surface mounted pushbar latch.

- Applicable for single doors and pairs of rebated doors when used in conjunction with 10280 Touchbar bolt (page 36)
- To suit doors 1060mm wide
- Suitable for timber, aluminium and steel doors
- Reversible mechanism
- Push bar can be easily cut to length to suit various door heights and widths
- Can be operated from outside by optional 10288A external access device (page 37)
- Independently tested to BS EN 1125
37511322A
- CE marked 0425-CPD-1825
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors

Finishes: SS (XX10282SS)
Silver (XX10282)



30057

Surface mounted 'Push bar to open' sign.

Finish: XX



10288A

External access device with half pair lever handle and euro profile escutcheon.

- For use with 10280 and 10282 pushbar devices
- Lever handle is engaged or disengaged by operating the cylinder
- Non-handed
- XX7420ND cylinder must be specified separately
- Can be integrated into a master key suite

Finish: SS (XX10288A)

7420ND

Single euro profile cylinder for use with 10288A on doors up to 51mm thick.

Finish: XX

Allgood hardware



Access control

Access control is a means of conveniently controlling the movement of people into, out of and within buildings.

Normal key operated locks allow for master keying, which enables the control of who can use any given door. However, this method of control has become a concern to those building users who seek a keyless lifestyle. Keys will always be around but so will the inherent problems of using them.

Allgood has been providing keys to thousands of buildings around the world for over 60 years. This experience has given us a wealth of knowledge about their benefits, but also a real understanding of considering other forms of access control due to the following issues:

- There is always the potential problem of lost keys resulting in the compromise of security.
- One has to weigh up the inconvenience of manually unlocking and re-locking a series of doors.

Depending on your requirements, Allgood can provide a system of limitless sophistication integrating Allgood door furniture throughout, down to a simple stand-alone digital lock.

Access control and automation



Mechanical digital locks

Mechanical digital locks are the simplest form of access control. Without the need for mains power, or any external wiring or additional equipment, they provide a step up in security and convenience from mechanical keyed locks. They are perfect where a simple 'all-in-one' solution is required.



Code keypad

Digital code keypads provide many features which allow for sophisticated access control. The choice of keypad will depend on factors such as vandal resistance, external or internal use, aesthetics, whether the unit is to be flush or surface mounted and any special fixing positions. It is the controller that determines the access control features.



Proximity

Close proximity is the fastest, easiest to use and most reliable form of access control.

Individual tokens are easily added or removed from the system without any reduction in the capacity of total users. Tokens are highly resistant to abuse and duplication and Allgood guarantees them for life against electronic failure through manufacturing defects. Full on-line systems controlling thousands of doors from a central PC are possible, with all the associated features of event reporting, monitoring, alarms and many other options.



Overhead automation

Overhead automatic swing door operators enjoy a wide range of applications where the door is required to operate automatically or to assist the user who is using the door.



Underfloor automation

Underfloor automatic operators are designed for heavy-duty usage on most internal and external doors where aesthetics are of major importance.

Installation and maintenance

Installation and maintenance services are offered to suit the clients budget and requirements.

5. finishes

Satin stainless steel	42
Satin aluminium	43
Numerical and alphabetical index	44

finishes



SS
Satin stainless steel.

BS
Clear anti-microbial finish on satin stainless steel.

Alternative finishes for non-stainless steel items

SC
Satin chrome.

SN
Satin nickel.



SA
Satin aluminium.

BL
Clear anti-microbial finish on
satin aluminium.

Numerical and alphabetical index

10280	36
10282	37
10288A	37
21705	14
30057	37
48800	34
48800FP	34
48800R	34
48801	34
48801FP	34
48801R	34
48802	35
48802FP	35
48802R	35
7051	35
7053	35
7176FP60	31
7604F60	30
7608F60	30
7618A	32
7619A	32
7620A	33
7679F60	31
7686F60	31
8066FP	33
97422	6
97423	6
97501	33
97501R	33
97663	11
97664	11
97665	11
97666	11
97873	7
97874	7
97876	7
97902	16
97903	16
97904	16
97905	16
97906	17
97907	17
97914	17
97915	17
97917	17
97918	17
97919	17
98008	9
98141	28
98141/66	29
98171	28
98181	29
98221	22
98222	22
98223	23
98230	15
98232	15
98332	14
98402	8
98500	23
98510	25

98515	25
98520	24
98530	25
98540	23
98550	15
98551	15
98580	9
98773	8
98774	9
98776	9
98793	10
98793B	10
98794	10
98794B	10
98796	11
98796B	11
98902	18
98903	18
98904	18
98905	18
98906	19
98907	19
98914	19
98915	19
98917	19
98918	19
98919	19

Access control and automation	38, 39
Bathroom turns	7, 8, 9
Budget lock escutcheon	9
Coat hooks	15
Cylinders	32, 33
Door closers	28
Door closer bracket	29
Door stops	14
Electro-hydraulic hold-open door closer	29
Euro profile cylinder pull	9
Euro profile escutcheons	7, 9
Flushbolts	34, 35
Flushbolt sockets	35
Hinges	33
Intumescent packs	31, 33, 34, 35
Kick plates	11
Lever handles	6, 8
Locks	30, 31
Maxi roll holder	23
Paper towel dispenser	25
Panic hardware	36, 37
Pull handles	10, 11
Push plates	11
Self adhesive signage	18, 19
Signage	16, 17
Soap dispensers	25
Spare toilet roll holder	23
Toilet brush holder	23
Toilet roll holders	22
Wall mounted waste bin	24



Allgood would like to thank FR Shadbolt, Domus Tiles, PB Digital and Rob Wyatt Photography for their contributions to this brochure.

All information and details in this brochure are correct at time of going to press. However, Allgood plc reserves the right to change the product specifications without notice.

All dimensions are subject to production tolerances of ± 1 mm.

Printed on Consort 155, a paper produced using an environmentally friendly, elemental chlorine-free bleaching process, whilst its fibre contains raw materials sourced from Forest Stewardship Council (FSC) sustainable sources.

@lgood and @ are registered trademarks.

© Allgood plc 2010

FSC
logo



overseas projects

Allgood Worldwide

297 Euston Road
London NW1 3AQ
Telephone: +44 (0)20 7255 9330
Facsimile: +44 (0)20 7383 7950
E-mail: info@allgoodww.com
Website: www.allgoodww.com

uk projects

Allgood plc

297 Euston Road
London NW1 3AQ
Telephone: 020 7387 9951
Facsimile: 020 7380 1232
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

63-83 Brearley Street
Birmingham B19 3NT
Telephone: 0121 359 4415
Facsimile: 0121 359 5832
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

28 Queen Street
Manchester M2 5HX
Telephone: 0161 834 6717
Facsimile: 0161 834 6839
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

2 Buchanan Gate
Glasgow G3 6FB
Telephone: 0141 779 5750
Facsimile: 0141 779 5741
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk