



@lgood



Hotels and residences



Allgood

From individual, architect designed residences to the world's largest luxury resorts, Allgood has the expertise and experience to manage the entire door hardware co-ordination from design concept to final handover.



1. signature collection



2. classic collection



3. modern collection

Contents



4. accessories



5. bathroom collection



6. @lgood hardware





1. signature collection

Finishes	6-9
Lever handles	10-13
Knob handles	13
Escutcheons and bathroom turns	14-15
Pull handles	16-17
Wardrobe handles and flush pulls	18-19

signature collection

Our signature collection has been created from selecting the very best of Allgood's core products and enhanced to enable designers to create individual styles to complement their design concepts.

Opposite are the finishes in which the signature collection is available, providing a wide choice of aesthetic options. To select the product in the finish that you require, just add the finish prefix to the part number of the item.



ST
Satin Stainless Steel (316).
(SS on Modric items)



SP
Polished Stainless Steel (316).
(PS on Modric items)

Finishes



GT
PVD Gold on Polished Stainless Steel (316).



BT
PVD Bronze on Satin Stainless Steel (316).



MA
Modric Anodised Aluminium.

signature collection

At the heart of the signature collection is the Sembla range. The main design principle of Sembla is the central node; the component which makes the physical connection to the door.

Opposite we outline some of the bespoke grip and tip finishes that you can add to the semba node, providing a whole host of permutations in aesthetic design.

Add one of the following Sembla suffixes to a standard Sembla lever handle, to change the grip and tip combination.

For example:

SP3623DT = Pair of Sembla lever handles with Polished Stainless Steel node and Dark Wood grip and tip.



KT
Knurled Satin Stainless Steel grip and tip.



KP
Knurled Polished Stainless Steel grip and tip.



LT
Light Wood grip and tip.
Sourced from a FSC (Forest Stewardship Council) sustainable approved source, Light Wood grips are made from beech timber.



DT
Dark Wood grip and tip.
Sourced from a FSC (Forest Stewardship Council) sustainable approved source, Dark Wood grips are made from beech timber with a rich mahogany stain.

Sembla grips and tips



KG
Knurled PVD Gold grip and tip.



KB
Knurled PVD Bronze grip and tip.



ST
Soft Touch grip and tip.
Soft Touch Sembla is a polyurethane based black coating with excellent durability. The finish gives the visual effect of low gloss with a soft feel, providing a tactile gripping experience.
Alternative colours available on request.



LE
Leather grip and tip.
Leather Sembla can provide an interior with a continuation of a soft furnishing theme and provide a warm and luxurious grip.

signature collection




3623

Sembla lever handles with straight grip and drum tips on concealed Quadaxial fixing roses.

Finishes: ST • SP • GT • BT • MA

Grips: KT • KP • KG • KB • LT • DT • ST • LE



3623H

To suit hotel locking systems.




3643

Sembla lever handles with straight grip and bullet tips on concealed Quadaxial fixing roses.

Finishes: ST • SP • GT • BT • MA

Grips: KT • KP • KG • KB • LT • DT • ST • LE

Note: Bullet tips supplied plain



3643H

To suit hotel locking systems.

All signature collection lever sets have independent test evidence to BS EN 1906, classification **47-1140U**

When using signature collection lever handles as half sets on interconnecting doors, please add 1No XX9052NT spindle.

Lever handles




3626

Sembla lever handles with crescent grip and drum tips on concealed Quadaxial fixing roses.

Finishes: ST • SP • GT • BT • MA

Grips: ST



3626H

To suit hotel locking systems.




3646

Sembla lever handles with crescent grip and bullet tips on concealed Quadaxial fixing roses.

Finishes: ST • SP • GT • BT • MA

Grips: ST

Note: Bullet tips supplied plain



3646H


To suit hotel locking systems.



3640

Sembla lever handles with propeller grip and bullet tips on concealed Quadaxial fixing roses.

Finishes: ST • SP • GT • BT



3640H

To suit hotel locking systems.


signature collection



3537

Modric lever handles with ceramic arc grip on concealed Quadaxial fixing roses.


Finishes: SS • PS • GT • BT



3538

Modric lever handles with ceramic ellipse grip on concealed Quadaxial fixing roses.

Finishes: SS • PS • GT • BT



All signature collection lever sets have independent test evidence to BS EN 1906, classification **47-1140U**

When using signature collection lever handles as half sets on interconnecting doors, please add 1No XX9052NT spindle.


Lever and knob handles



3539

Modric lever handles with ceramicast cornu grip on concealed Quadaxial fixing roses.


Finishes: SS • PS • GT • BT



2500/750

Modric knob handles with roses.


Finishes: SS • PS • GT • BT • MA



2505/750

Modric knob handles with roses.


Finishes: SS • PS • GT • BT • MA



2510

Modric fixed knob handles for use in pairs on glass and timber doors, and singly on timber doors.


Finishes: SS • PS • GT • BT • MA



2511

Modric fixed knob handles for use in pairs on glass and timber doors, and singly on timber doors.


Finishes: SS • PS • GT • BT • MA




signature collection



796Q
Euro profile cylinder escutcheon.
Finishes: SS • PS • GT • BT • MA



796
Euro profile cylinder escutcheon for use with knob handles.
Finishes: SS • PS • GT • BT • MA



771Q2531
Bathroom turn on concealed fixing rose.
Finishes: SS • PS • GT • BT • MA



771/2531
Bathroom turn on concealed fixing rose for use with knob handles.
Finishes: SS • PS • GT • BT • MA




Escutcheons and bathroom turns



786Q

Emergency release.


Finishes: SS • PS • GT • BT • MA



779Q

Emergency release with external indicator.


Finishes: SS • PS • GT • BT • MA



786

Emergency release for use with knob handles.


Finishes: SS • PS • GT • BT • MA



779

Emergency release and indicator for use with knob handles.

Finishes: SS • PS • GT • BT • MA



signature collection



1628

Sembla pull handle with drum tips and bolt through fixings. 400mm centres.

Finishes: ST • SP • GT • BT • MA

Grips: KT • KP • KG • KB • LT • DT • ST • LE

1628BB

Pair, as above, with back-to-back fixings.

1629

Sembla pull handle as 1628 but with 600mm centres.

1629BB

Pair, as above, with back-to-back fixings.



1648

Sembla pull handle with bullet tips and bolt through fixings. 400mm centres.

Finishes: ST • SP • GT • BT • MA

Grips: KT • KP • KG • KB • LT • DT • ST • LE

Note: Bullet tips supplied plain

1648BB

Pair, as above with back-to-back fixings.

1649

Sembla pull handle as 1648 but with 600mm centres.

1649BB

Pair, as above, with back-to-back fixings.



Pull handles




1537

Modric pull handle with ceramic arc grip and bolt through fixings.

Finishes: SS • PS • GT • BT

1537BB

Pair, as above, with back-to-back fixings.




1538

Modric pull handle with ceramic ellipse grip and bolt through fixings.

Finishes: SS • PS • GT • BT

1538BB

Pair, as above, with back-to-back fixings.




1539

Modric pull handle with ceramic cornu grip and bolt through fixings.

Finishes: SS • PS • GT • BT

1539BB

Pair, as above, with back-to-back fixings.



signature collection



2520
Modric wardrobe knob.
Finishes: SS • PS • GT • BT • MA



2527
Modric wardrobe knob.
Finishes: SS • PS • GT • BT • MA



2516
Modric wardrobe knob.
Finishes: SS • PS • GT • BT • MA




2526
Modric wardrobe knob.
Finishes: SS • PS • GT • BT • MA



Wardrobe handles and flush pulls




1711
Modric wardrobe handle.
Finish: MA



1712
Modric wardrobe handle.
Finish: MA




6999
Modric wardrobe handle.
Finishes: SS • PS • GT • BT • MA




7000
Modric wardrobe handle.
Finishes: SS • PS • GT • BT • MA



6215
Modric flush pull handle.
Finishes: SS • PS • GT • BT • MA



6260
Modric flush pull handle.
Finishes: SS • PS • GT • BT • MA





2. classic collection

Finishes	22
Lever handles	23-24
Escutcheons and bathroom turns	25

classic collection



BB
Brown Brass.



PB
Polished Brass.

All classic collection lever sets have independent test evidence to BS EN 1906, classification **47-1140U**

When using classic collection lever handles as half sets on interconnecting doors, please add 1No XX40115 spindle.


Finish and lever handles



41020F

Classic collection lever handles with concealed fixing roses.

Finishes: BB • PB



41020H


To suit hotel locking systems.



41023F

Classic collection lever handles with concealed fixing roses.

Finishes: BB • PB



41023H


To suit hotel locking systems.



41057F

Classic collection lever handles with concealed fixing roses.

Finishes: BB • PB



41057H

To suit hotel locking systems.


classic collection



41058F

Classic collection lever handles with concealed fixing roses.

Finishes: BB • PB



41058H


To suit hotel locking systems.



41076F

Classic collection lever handles with concealed fixing roses.

Finishes: BB • PB



41076H

To suit hotel locking systems.

All classic collection lever sets have independent test evidence to BS EN 1906, classification **47-1140U**

When using classic collection lever handles as half sets on interconnecting doors, please add 1No XX40115 spindle.

Lever handles, escutcheons and bathroom turns



41744

Classic collection euro profile cylinder escutcheon with concealed fixings.


Finishes: BB • PB



41744T

Classic collection bathroom snib turn with concealed fixings.


Finishes: BB • PB



41744R

Classic collection indicator and emergency release with concealed fixings.

Finishes: BB • PB







3. modern collection

Finishes	28
Lever handles	29-34
Escutcheons and bathroom turns	35

modern collection



SS
Satin Stainless Steel.



PS
Polished Stainless Steel.

The modern collection provides a wide array of contemporary designs to suit every aesthetic requirement. Available in both Satin and Polished Stainless Steel.

When using modern collection lever handles as half sets on interconnecting doors, please add 1No XX9052NT spindle.


Finishes and lever handles



5200

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5201

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5202

Modern collection lever handles with concealed fixing roses.

Finishes: SS • PS




modern collection



5203

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5204

Modern collection lever handles with concealed fixing roses.

Finishes: SS • PS



When using modern collection lever handles as half sets on interconnecting doors, please add 1No XX9052NT spindle.


Lever handles



5205

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5206

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5207

Modern collection lever handles with concealed fixing roses.

Finishes: SS • PS




modern collection



5208

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5209

Modern collection lever handles with concealed fixing roses.

Finishes: SS • PS



When using modern collection lever handles as half sets on interconnecting doors, please add 1No XX9052NT spindle.


Lever handles



5210

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5211

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5212

Modern collection lever handles with concealed fixing roses.

Finishes: SS • PS




modern collection



5213

Modern collection lever handles with concealed fixing roses.


Finishes: SS • PS



5214

Modern collection lever handles with concealed fixing roses.

Finishes: SS • PS



When using modern collection lever handles as half sets on interconnecting doors, please add 1No XX9052NT spindle.

Lever handles, escutcheons and bathroom turns



5240

Modern collection euro profile cylinder escutcheons with concealed fixings.


Finishes: SS • PS



5241T

Modern collection bathroom turn with concealed fixings.


Finishes: SS • PS



5241R

Modern collection emergency release with concealed fixings.

Finishes: SS • PS





4. accessories

Finishes	38-39
Flush pull handles	40-41
Controllers and energy savers	42-43
Entrance door accessories	44-45
Door stops	46-47

accessories



SS
Satin Stainless Steel.



PS
Polished Stainless Steel.

SC
Satin Chrome.
Alternative to SS (Satin Stainless Steel).

PC
Polished Chrome.
Alternative to PS (Polished Stainless Steel).



GT
PVD Gold on Polished Stainless Steel.



BT
PVD Bronze on Satin Stainless Steel.


PB
Polished Brass.
Alternative to GT (PVD Gold).

BB
Brown Brass.
Alternative to BT (PVD Bronze).


accessories



2600
Oval flush pull.
Finishes: SC • PC • PB • BB



2610
Circular flush pull.
Finishes: SC • PC • PB • BB



Flush pull handles



2620

Edge pull.


Finishes: SC • PC • PB • BB



2630

Edge pull.

Finishes: SC • PC • PB • BB



accessories




2700

Room control panel.

- 2 button temperature and fan speed control
- Adjustable backlit display
- DDC input for external air temperature display
- Energy saving device input
- Plug in junctions for ease of installation
- Supplied with thermostat, driver device and back box

Finishes: SS • PS • GT • BT




2710

Volume control panel.

- 2 button volume control
- Adjustable backlit display
- Plug in junctions for ease of installation
- Supplied with back box

Finishes: SS • PS • GT • BT



Controllers and energy savers




2720

Hotel key card energy saver.

- Once hotel key card is inserted, all lighting, electrical and air conditioning equipment can be utilised.
- When hotel key card is removed, energy costs are dramatically reduced by automatically turning off air conditioning systems and lighting circuits.


Finishes: SC • PC • PB • BB




accessories



2800
Door guard with concealed fixings.
Finishes: SC • PC • PB • BB



2810
Door guard.
Finishes: SC • PC • PB • BB




Entrance door accessories



2820

Retractable door chain.


Finishes: SC • PC • PB • BB



17015

Door viewer.

Finishes: SC • PC • PB • BB



17015FR


As above but fire rated for 30 minutes.

Finishes: SC • PC • PB • BB

accessories



2302
Door stop.
Finishes: SS • PS • GT • BT



21705
Door stop.
Finishes: SS • PS • GT • BT



Door stops



2305

Door stop.

Finishes: SS • PS • GT • BT





5. bathroom collection


Toilet accessories	50-51
Vanity accessories	52-55
Towel accessories	56-59
Bath accessories	60-61
Shower accessories	62-65




bathroom collection



5500
Toilet roll holder.
Finish: PC



5505
Toilet roll holder with cover.
Finish: PC




Toilet accessories



5510

Toilet roll holder.


Finish: PC



5520

Spare toilet roll holder.


Finish: PC



5530

Toilet brush holder with brush.


Finish: PC




bathroom collection



5540
Soap dish.
Finish: PC




5550
Liquid soap dispenser.
Finish: PC




Vanity accessories




5560
Tumbler holder.
Finish: PC



5570
Glass shelf.
Finish: PC




5575
Glass shelf with rail.
Finish: PC



bathroom collection



5580
Mirror.
Finish: PC




Vanity accessories



5585

Illuminated mirror.


Finish: PC



bathroom collection



5604
Single towel rail.
Finish: PC




5606
As above but with 610mm centres.
Finish: PC

Towel accessories



5614

Double towel rail.
Finish: PC




5616

As above but with 610mm centres.
Finish: PC




5620

Robe hook.
Finish: PC



5625


Towel hook.
Finish: PC



bathroom collection



5630
Towel ring.
Finish: PC






5640

Towel rack.


Finish: PC



bathroom collection




5650
Cranked bath grabrail.
Finish: PC



5655
Cranked bath grabrail with toiletries rack.
Finish: PC




5660
Bath grabrail.
Finish: PC




bathroom collection



5700
Screen to wall shower hinge.
Finish: PC



5701
Screen to door (180°) shower hinge.
Finish: PC



5702
Screen to screen (90°) shower hinge.
Finish: PC


Shower accessories




5710
Shower door knob.
Finish: PC



5720
Shower door knob.
Finish: PC



5730
Shower door pull.
Finish: PC



5715
Shower door combined knob and horizontal
towel rail.
Finish: PC


5725
Shower door combined knob and horizontal
towel rail.
Finish: PC

5735
Shower door combined pull and horizontal
towel rail.
Finish: PC


bathroom collection



5740
Large corner rack.
Finish: PC




5745
Small corner rack.
Finish: PC




Shower accessories




5750
Shower drainage plate.
Finish: PC



5755
Shower drainage plate.
Finish: PC



5760
Retractable clothes line.
Finish: PC





6. @lgood hardware

Hinges	68-69
Door closers	70-71
Locks and latches	72-73
Cylinders, privacy locks and catches	74-75
Door seals and flushbolts	76-77
Construction furniture	78

@lgood hardware




8066CB

Butt hinge.

- Load bearing capacity to 120kg
- Concealed self-lubricating bearings
- Maintenance free
- Independently tested to BS EN 1935
476114013
- CE marked 1121-CPD-AC0099
- Certifire approved CF287
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 25 year guarantee

Finishes: SS • PS • GT • BT



8066RCB

As above but with 10mm radius corners.

Finishes: SS • PS • GT • BT




8084CB

Lift off hinge.

- Load bearing capacity to 80kg
- Concealed self-lubricating bearings
- Maintenance free
- Independently tested to BS EN 1935
3741114011
- CE marked 1121-CPD-AC0135
- Certifire approved CF215
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 25 year guarantee

Finishes: SS • PS • GT • BT



8084RCB

As above but with 10mm radius corners.

Finishes: SS • PS • GT • BT

Hinges




97501

Butt hinge.

- Load bearing capacity to 120kg
- Requires regular lubrication
- Independently tested to BS EN 1935 4761114013
- CE marked 1121-CPD-AC0070
- Certifire approved CF369
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors
- 5 year guarantee

Finishes: SS • PS



97501R

As above but with 10mm radius corners.

Finishes: SS • PS




8090

Butt hinge.

- Load bearing capacity to 40kg
- Maintenance free phosphor bronze bearing
- Independently tested to BS EN 1935, 272111407
- CE marked
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 30 minutes on timber doors
- 10 year guarantee

Finishes: PB • BB




8095

Concealed adjustable hinge.

- Load bearing capacity to 60kg
- Maintenance free slide bearings
- Independently tested to BS EN 1935 475111*1110

Finishes: SS • PS • GT • BT



@lgood hardware




9133S

Fully concealed overhead door closer for single action doors.

- Adjustable power (2-4)
- Maximum door weight: 130kg
- Maximum door width: 1100mm
- Minimum door thickness: 40mm
- Independently tested to BS EN 1154
384/2114
- CE marked 0672-CPD-0069
- Certifire approved CF242
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 240 minutes on metal doors
- 10 year guarantee

Finishes: SS • PS



9133SE

As above, but with track and arm complete with electrical hold open device for single action doors.

Finishes: SS • PS

9133SED

As above, but with 2 units complete with self selecting door co-ordinator track and arm with electrical hold open device for single action, double doors.

Finishes: SS • PS

Door closers



9267

Slide arm overhead door closer for single action doors.

- Fixed to opening face of door (Figure 1)
- Adjustable power (2-3)
- Adjustable closing speed with independent latch action
- Adjustable backcheck between angle of operation, 65°–180°
- Maximum door weight: 60kg
- Maximum door width: 950mm
- Independently tested to BS EN 1154
4832114
- CE marked
- Certifire approved CF703
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 120 minutes on timber doors and 240 minutes on metal doors
- 10 year guarantee

Finishes: SS • PS




10508

Fully concealed jamb mounted door closer for single action doors.

- Fixed power (3)
- Adjustable closing speed and latch action
- Maximum door weight: 80kg
- Maximum door width: 950mm
- Independently tested to BS EN 1154
383113
- CE marked 1121-CPD-AD0027
- Certifire approved CF370
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors
- 10 year guarantee

Finishes: SC • PC • PB • BB



allgood hardware




17504.60

Omni latch.

- Cylindrical profile allows quick installation
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Incorporated in successful fire tests and assessed to BS EN 1634-1 up to 30 minutes on timber doors
- 5 year guarantee

Finishes: SS • PS




17508.60

Omni bolt.

- Cylindrical profile allows quick installation
- Incorporated in successful fire tests and assessed to BS EN 1634-1 up to 30 minutes on timber doors
- 5 year guarantee

Finishes: SS • PS



Locks and latches




7604F60

Vertical mortice latch.

- Radiused forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
2H810F-B020
- CE marked 1121-CPD-AG0066
- Certifire approved CF537
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 240 minutes on metal doors
- 5 year guarantee

Finishes: SS • PS • GT • BT




7608F60

Vertical mortice bathroom lock.

- Radiused forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
2H810F-B020
- CE marked 1121-CPD-AG0065
- Certifire approved CF537
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 240 minutes on metal doors
- 5 year guarantee

Finishes: SS • PS • GT • BT




7679F60

Vertical euro profile cylinder mortice lock.

- Radiused forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
2H810F3B020
- CE marked 1121-CPD-AG0064
- Certifire approved CF537
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 240 minutes on metal doors
- 5 year guarantee

Finishes: SS • PS • GT • BT



allgood hardware




7618A

Euro profile double cylinder with key operation on both sides.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers; make aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303

1601C62

Finishes: SN • PC • PB • BB




7620A

Euro profile single cylinder with key operation on one side only.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers; make aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303

1601C62


Finishes: SN • PC • PB • BB



7619A

As above but with key operation on one side and turn on the other.

Finishes: SN • PC • PB • BB



Cylinders, privacy locks and catches




7518

Cubicle mortice deadlock.

- Deadbolt operated by snib from inside and by indicator/release from outside
- 8mm follower
- Bolt through fixing holes

Finishes: SS • PS • GT • BT




7519

Claw bolt sliding door mortice deadlock.

- Claw bolt operated by snib from inside and indicator/release from outside
- 8mm follower
- Bolt through fixing holes


Finishes: SS • PS • GT • BT



10772

Adjustable heavy duty roller catch.

Finishes: SS • PS • GT • BT



@lgood hardware




47700

Double actuation automatic door seal.

- Used on single doors and the first opening leaf of a pair of doors
- 50dB acoustic rating
- Maximum sealing height: 14mm
- Automatic levelling compensates for uneven thresholds
- Can be reduced in length by up to 125mm
- 3 sizes available (see below)

Finish: XX




Product ref	Size
XX47700A	833mm
XX47700B	958mm
XX47700C	1083mm

47710

Single actuation automatic door seal.

- Used on the slave leaf of a pair of doors
- 50dB acoustic rating
- Maximum sealing height: 14mm
- Automatic levelling compensates for uneven thresholds
- Can be reduced in length by up to 125mm
- 3 sizes available (see below)

Finish: XX



Product ref	Size
XX47710A	833mm
XX47710B	958mm
XX47710C	1083mm


Door seals and flushbolts



48800

Lever action flushbolt.


Finishes: SS • PS • PB • BB



7053

Dirt excluding flushbolt socket.

Finishes: SC • PC • PB • BB



@lgood hardware

Construction furniture



9030

Construction levers for use with 8mm follower locks during construction phase to avoid loss & damage to finished ironmongery.

Finish: XX



7493A

Construction cylinder for use with euro profile locks during construction phase to prevent misuse and loss of keys.

Finish: XX

7.index

Index

Bath grabrails	60, 61
Bathroom turns.....	14, 25, 35
Clothes lines	65
Construction furniture	78
Corner racks	64
Cubicle locks	75
Cylinders	74
Door closers.....	70, 71
Door guards.....	44, 45
Door seals.....	76
Door stops	46, 47
Door viewers	45
Emergency releases	15, 25, 35
Energy savers	43
Euro profile escutcheons.....	14, 25, 35
Flush pulls	19, 40, 41
Flushbolts	77
Flushbolt sockets	77
Hinges	68, 69
Hooks	57
Knob handles	13
Lever handles	10, 11, 12, 13, 23, 24, 29, 30, 31, 32, 33, 34
Mirrors	54, 55
Mortice locks	73
Omni bolt	72
Omni latch	72
Pull handles	16, 17
Roller catches	75
Room controllers	42
Shelves	53
Shower drainage plates.....	65
Shower door hinges	62
Shower door knobs	63
Shower door pulls	63
Soap dishes	52
Soap dispensers	52
Toilet roll holders	50, 51
Toilet brush holders	51
Towel racks	59
Towel rails	56, 57
Towel rings	58
Tumbler holders	53
Wardrobe handles	18, 19



Allgood would like to thank Bluedoor, FR Shadbolt, Domus Tiles , Celopak, PB Digital and Rob Wyatt Photography for their contributions to this brochure.

All information and details in this brochure are correct at time of going to press. However, Allgood plc reserves the right to change the product specifications without notice.

All dimensions are subject to production tolerances of ± 1 mm.

Printed on Consort 155, a paper produced using an environmentally friendly, elemental chlorine-free bleaching process, whilst its fibre contains raw materials sourced from Forest Stewardship Council (FSC) sustainable sources.

@lgood, @v, sembla, modric and @lgood hardware are registered trademarks.

© Allgood plc 2009



overseas projects

Allgood Worldwide

297 Euston Road
London NW1 3AQ
Telephone: +44 (0)20 7255 9330
Facsimile: +44 (0)20 7383 7950
E-mail: info@allgoodww.com
Website: www.allgoodww.com

uk projects

Allgood plc

297 Euston Road
London NW1 3AQ
Telephone: 020 7387 9951
Facsimile: 020 7380 1232
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

63-83 Brearley Street
Birmingham B19 3NT
Telephone: 0121 359 4415
Facsimile: 0121 359 5832
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

28 Queen Street
Manchester M2 5HX
Telephone: 0161 834 6717
Facsimile: 0161 834 6839
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

2 Buchanan Gate
Glasgow G3 6FB
Telephone: 0141 779 5750
Facsimile: 0141 779 5741
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk